

## Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.




119  
E3714  
Lop 2

# Tobacco Stocks Report as of October 1, 1961



U. S. DEPARTMENT OF AGRICULTURE  
AGRICULTURAL MARKETING SERVICE  
TOBACCO DIVISION

The Tobacco Stocks and Standards Act provides for a quarterly report of tobacco stocks. These reports, based on information filed by manufacturers, dealers, and others, are prepared by the Tobacco Division of the Agricultural Marketing Service.



Stephen E. Wrather  
Director, Tobacco Division.

Washington, D. C.  
November 17, 1961

## CONTENTS

	Page
Discussion . . . . .	3- 5
Conversion factors for adjusting for losses in weight . . . . .	6
Stocks of leaf tobacco, by types, converted to a FARM-SALES-WEIGHT equivalent . . . . .	7
Production, stocks, supply, disappearance, and price of specified types (FARM-SALES-WEIGHT). . . . .	8-11
Stocks of leaf tobacco, by types and groups of grades . . . . .	12-15
Summary of tobacco leaf represented in inventories of tobacco sheet . . . . .	16
Stocks of leaf tobacco, by types, showing separately quantities owned by dealers and manufacturers . . . . .	17
Stocks of leaf tobacco, summary by types . . . . .	18

## BRIEF CLASSIFICATION OF LEAF TOBACCO

(Covering classes and types)

### CLASS 1, FLUE-CURED TYPES

Type 11: Old Belt flue-cured; produced in the Piedmont sections of Virginia and North Carolina.  
Type 12: Eastern North Carolina flue-cured; produced in the coastal sections of North Carolina, north of the South River.  
Type 13: South Carolina flue-cured; produced in the coastal sections of South Carolina and the southeastern counties of North Carolina, south of the South River.  
Type 14: Georgia and Florida flue-cured; produced in southern Georgia and northern Florida.

### CLASS 2, FIRE-CURED TYPES

Type 21: Virginia fire-cured; produced in the Piedmont and mountain sections of Virginia.  
Type 22: Tennessee-Kentucky fire-cured, eastern district, Clarksville, Springfield, and Hopkinsville; produced in a section east of the Tennessee River, in southern Kentucky and northern Tennessee.  
Type 23: Kentucky-Tennessee fire-cured, western district, Mayfield, and Murray; produced in a section between the Tennessee, Ohio, and Mississippi rivers in western Kentucky and northwestern Tennessee.

### CLASS 3, AIR-CURED TYPES

#### LIGHT AIR-CURED (CLASS 3a)

Type 31: Burley; produced in Kentucky, Tennessee, Ohio, Indiana, West Virginia, Virginia, North Carolina, and Missouri.  
Type 32: Southern Maryland; produced in five counties of southern Maryland--Prince Georges, Anne Arundel, Calvert, Charles, and St. Marys.

#### DARK AIR-CURED (CLASS 3b)

Type 35: One Sucker; produced in north-central Tennessee and south-central Kentucky.  
Type 36: Green River; produced in the northern part of Kentucky in the territory adjacent to Owensboro and Henderson.  
Type 37: Virginia sun-cured; produced in central Virginia, north of the James River.

### CLASS 4, CIGAR-FILLER TYPES

Type 41: Pennsylvania Seedleaf; produced in Lancaster County, Pa., and the adjoining counties.  
Type 42-44: Ohio filler; produced in the Miami Valley section of Ohio and extending into Indiana.  
Type 46: Puerto Rican sun-grown, including primed (Deshojado) and stalk-cut (Mata); produced on the Island of Puerto Rico.

### CLASS 5, CIGAR-BINDER TYPES

Type 51: Connecticut Broadleaf; produced in the Connecticut Valley sections of Connecticut and Massachusetts.  
Type 52: Connecticut Havana Seed; produced in the Connecticut and Housatonic Valley sections of Connecticut and Massachusetts.  
Type 53: New York and Pennsylvania Havana Seed; produced in the Big Flats and Onondaga sections of New York, and extending into Pennsylvania.  
Type 54: Southern Wisconsin; produced in Wisconsin, south and east of the Wisconsin River.  
Type 55: Northern Wisconsin; produced in Wisconsin, north and west of the Wisconsin River, and in eastern Minnesota.

### CLASS 6, CIGAR-WRAPPER TYPES

Type 61: Connecticut Shade; produced in the Connecticut Valley sections of Connecticut and Massachusetts.  
Type 62: Georgia and Florida Shade; produced in southwestern Georgia and north-central Florida.

### MISCELLANEOUS TYPES OF DOMESTIC TOBACCO

Type 72: Louisiana Perique.  
Type 73: All domestic types of tobacco not otherwise classified.  
Type 77: Domestic Aromatic.

### FOREIGN TYPES

Type 81: Cuba (Havana).  
Type 82: Sumatra and Java.  
Type 83: Philippine Islands (Manila).  
Type 84: All foreign-grown cigar-leaf not otherwise classified.  
Type 90: Foreign-grown cigarette and smoking tobacco (Turkish and other).

STOCKS OF LEAF TOBACCO OWNED BY DEALERS AND MANUFACTURERS 1/ 2/

Total Inventory of Leaf Tobacco Slightly Higher Than A Year Ago

Leaf tobacco inventories in the United States and Puerto Rico totaled 4,537 million pounds (farm-sales-weight) as of October 1, 1961, on the basis of the quarterly stocks reports of dealers 2/ and manufacturers. This is an increase of 61 million pounds compared with a year earlier. Flue-cured stocks were higher because of a faster rate of marketing the 1961 crop compared with the previous year but stocks of burley leaf were down considerably compared with a year earlier. Tobacco growers marketed 965 million pounds during the third quarter (July-September, 1961), consisting mostly of flue-cured but including some Maryland and cigar leaf. During the corresponding period last year 853 million pounds were marketed by growers.

The marketing year for all kinds of tobacco except flue-cured and cigar wrapper is on an October-September basis (table 3). The indicated total disappearance (exports plus domestic consumption) during the 1960-61 marketing year for all U. S. grown types combined for their respective periods was 2,056 million pounds compared with 1,954 million during the previous year. Indicated domestic consumption of U. S. grown tobacco was 1,490 million pounds, the highest since 1953. In addition to the U. S. grown tobacco, approximately 172 million pounds (unstemmed equivalent) of imported tobacco was used by domestic manufacturers during the past year. In turn, the U. S. exported 567 million pounds during the 1961 marketing year (504 million during previous year).

Stocks as of October 1, 1961, included 665 million pounds (farm-sales-weight) of leaf tobacco under Government loans (707 million pounds as of October 1, 1960). These loan stocks were divided as follows: Flue-cured, 506 million pounds; burley, 88 million; Maryland, 3.5 million; fire-cured, 31.8 million; dark air-cured, 15.6 million; and cigar-leaf, 20.0 million.

1/ Figures quoted for type totals in this summary are the farm-sales-weight equivalent of reported stocks except foreign-grown leaf which is converted to an unstemmed equivalent basis only. (See tables in body of report for reported weight basis).

2/ All Government loan stocks are reported by Grower Cooperatives, which are considered dealers for stocks-reporting purposes.

## CIGARETTE-LEAF STOCKS

### Burley and Maryland Stocks Show Decreases

Stocks of flue-cured tobacco on October 1, 1961, were 2,584 million pounds compared with 2,469 million reported on hand a year ago. Marketing of the 1961 crop, currently estimated at 1,253 million pounds, began in July and sales by growers totaled 943 million pounds by the end of September. During the corresponding quarter last year 838 million pounds were sold.

Burley stocks of 1,127 million pounds represented a decrease of 64 million pounds compared with the previous October 1 (1,191 million). Bases on October 1 stocks, total disappearance of burley tobacco during the marketing year just ended (October 1960-September 1961) amounted to 549 million pounds compared with 535 million during the 1959-60 period. Indicated domestic consumption was 508 million pounds (up 9 million), and exports were 41 million (up 5 million).

Stocks of Maryland tobacco were 70.0 million pounds, a decrease of 0.9 million from holdings on the previous October 1 (70.9 million). Sales of the 1960 crop on the auction markets were completed in July, 1961. Disappearance of Maryland leaf during the 1960-61 marketing year was 33.7 million pounds, 1.5 million above the previous year. Domestic consumption amounted to 21.7 million pounds (20.4 million in 1959-60), and exports 12.0 million (11.9 million in 1959-60).

Foreign-grown cigarette and smoking tobacco stocks (Turkish and other) were 222.3 million pounds--somewhat above last October 1 (209.6 million).

## DARK TOBACCO STOCKS

### Fire-cured and Dark Air-cured Stocks Lower than on last October 1

Fire-cured tobacco stocks, reported as 113.7 million pounds, were considerably lower than a year ago (123.4 million). The decrease was largely in holdings of type 22, but stocks of type 21 also were lower. Fire-cured stocks on October 1, 1961, were divided by types as follows: Virginia fire-cured 20.9 million, Eastern District Kentucky and Tennessee fire-cured 74.0 million, and Western District 18.8 million. Disappearance of fire-cured tobacco during the 1960-61 marketing year totaled 55.1 million pounds compared with 51.5 million during the previous year. Exports of 27.2 million pounds were 3.2 million pounds higher than during the previous marketing year. Domestic consumption was 27.9 million compared with 27.5 million for 1960-61.

Dark air-cured tobacco stocks on this October 1 were 62.2 million pounds, a decrease of 4 million pounds compared with holdings a year earlier (66.2 million). Stocks of each type were lower than on the previous October 1. Inventories on this October 1 of One Sucker were 37.9 million pounds, Green River 19.3 million, and Virginia sun-cured 5.0 million. Disappearance of dark air-cured tobacco during the 1960-61 marketing year was 24.0 million pounds, about the same as the figure for the previous year. Exports were 5.0 million pounds--0.8 million less than for the year before, and domestic consumption was 19.0 million--up 0.9 million.

### CIGAR LEAF STOCKS

#### Holdings of Domestic Cigar Leaf up slightly from a year ago Stocks of Foreign-grown Cigar Leaf larger

Cigar-leaf stocks of all domestic types including Puerto Rican totaled 285.4 million pounds (farm-sales-weight) on October 1, 1961--slightly above a year earlier (280.0 million). Stocks of foreign-grown cigar-leaf totaled 69.0 million pounds (unstemmed equivalent) compared with 62.9 million reported the previous October 1.

Overall stocks of the cigar-filler types of 175.7 million pounds were about 5 million above those on the previous October 1. The increase was accounted for by larger stocks of type 41. Pennsylvania Seedleaf stocks this October 1 were 114.9 million pounds, Ohio filler 17.6 million, and Puerto Rican filler 43.3 million. Disappearance of the filler types for the 1960-61 marketing year totaled 81.6 million pounds--considerably higher than for the previous year (80.8 million). Domestic consumption was 81.4 million and exports 0.2 million pounds.

Cigar-binder stocks were 80.0 million pounds on October 1, 1961--also unchanged from a year earlier. Holdings of types 54 and 55 increased, but stocks of the Connecticut binder types were down from October 1 a year ago. Connecticut Valley Broadleaf stocks this October 1 were 18.6 million pounds, Connecticut Valley Havana Seed 12.7 million, Southern Wisconsin 23.3 million, and Northern Wisconsin 25.4 million. Disappearance of the cigar-binder types totaled 29.1 million pounds during the 1960-61 marketing year (29.4 million in 1959-60). Exports were 2.1 million pounds, and domestic consumption 27.0 million--each about the same as during 1959-60.

Shade-grown cigar leaf stocks were 29.6 million pounds compared with 29.2 million a year ago. Holdings of type 61 were 18.1 million, and of type 62, 11.5 million.

Stocks of Cuban leaf (Havana) were reported at 39.0 million pounds--a decrease of 4.7 million from a year ago. Holdings of Philippine Islands (Manila) stocks at 14.0 million pounds were about 1.9 million higher than on last October 1. Stocks of Sumatra and Java leaf were 1.1 million pounds (0.5 million a year ago) and other foreign grown 14.0 million (6.7 million a year ago).

#### Stocks represented in Tobacco Sheet Show Increase

Stocks of leaf represented in inventories of "tobacco sheet" totaled 7.3 million pounds (reporting weight) compared with 6.0 million on the previous October 1. Of the total in "tobacco sheet" this October 1, 5.5 million pounds was for use in cigarettes and smoking tobacco, and 1.8 million for cigar binder including a small quantity for wrappers.

Table 1.--Average percentage of weight remaining after handling, sweating, drying, and stemming, and factors used for adjusting stocks reported by dealers and manufacturers to a farm-sales-weight equivalent, by types of tobacco <sup>1/</sup>

AUCTION MARKET AREAS (TYPES 11-37)

Type number	Packed weight	Yield realized from farm-sales-weight to			Factors to multiply by to convert:		
		Unstemmed		Stemmed	Stocks to unstemmed equivalent	Unstemmed stocks to farm-sales-weight equivalent <sup>2/</sup>	
		Percent	Percent				
Flue-cured . . . . .	11-14	89.5	89.2	89.0	88.2	1.282	1.12
Virginia fire-cured .	21	81.0	80.5	80.0	82.0	1.299	1.23
Tenn. and Ky. fire-cured .	22-23	96.8	93.0	91.5	69.5	1.316	1.04
Burley . . . . .	31	89.7	89.3	89.0	67.1	1.330	1.12
Southern Maryland . . .	32	97.2	96.0	94.1	69.0	1.351	1.02
One Sucker . . . . .	35	89.8	88.5	87.8	63.7	1.429	1.09
Green River . . . . .	36	88.7	87.3	86.0	63.7	1.316	1.13
Virginia sun-cured . . .	37	85.3	85.0	85.0	65.0	1.316	1.16
CIGAR LEAF (TYPES 41-62)							
Pennsylvania Seedleaf	41	97.3	84.0	82.0	58.0	1.387	3/
Ohio . . . . .	42-44	--	83.4	81.0	57.0	1.387	3/
Puerto Rico . . . . .	46	86.4	83.6	82.0	64.5	1.275	1.17
Connecticut Broadleaf .	51	97.0	85.4	83.1	62.5	1.292	3/
Connecticut Havana Seed .	52	97.0	85.0	83.1	62.5	1.299	3/
Southern Wisconsin . . .	54	--	81.5	79.1	59.5	1.300	3/
Northern Wisconsin . . .	55	93.7	82.4	80.6	59.0	1.333	3/
Connecticut Shade . . .	61	91.1	86.3	84.4	67.5	1.224	3/
Ga. and Fla. Shade . . .	62	89.1	82.5	82.3	67.0	1.205	3/
MISCELLANEOUS DOMESTIC AND FOREIGN GROWN TYPES (31-V-90)							
Low-nicotine . . . . .	31-V	--	--	--	--	1.351	1.12
Low-nicotine . . . . .	70	--	--	--	--	1.282	1.12
Miscellaneous Domestic . .	72-77	--	--	--	--	1.333	1.09
Foreign-grown cigar leaf .	81-84	--	--	--	--	1.205	4/
Foreign-grown cigarette and smoking tobacco . . .	90	--	--	--	--	1.205	4/

<sup>1/</sup> Based on information from U. S. Department of Agriculture Circular 435, Tobacco Shrinkages and Losses in Handling and Storage, issued in July 1937. <sup>2/</sup> Factors for converting unstemmed stocks to farm-sales weight are adjusted on the basis of an average loss on the reported weight and should not be taken as indicative of full shrinkage after handling, sweating, and storage. <sup>3/</sup> See footnote 2 on page 7 for conversion factors to farm-sales-weight equivalent for cigar leaf except Type 46. <sup>4/</sup> Foreign-grown stocks not converted to farm-sales-weight equivalent.

Table 2--Stocks of leaf tobacco owned by dealers and manufacturers, by types, converted to a farm-sales-weight equivalent, October 1, 1961, compared with other quarters <sup>1/</sup> <sub>2/</sub>

## FARM-SALES WEIGHT

Type name	U.S. type number	October 1,			July 1, 1961	April 1, 1961	January 1, 1961
		1961	1960	1959			
		1,000 lb.	1,000 lb.	1,000 lb.			
Flue-cured	11-14	2,583,608	2,468,785	2,555,513	2,090,146	2,363,977	2,608,501
Virginia fire-cured	21	20,938	22,176	22,537	22,867	24,309	22,795
Tennessee and Kentucky fire-cured (Eastern District)	22	74,010	82,405	81,631	81,224	88,473	71,225
Kentucky and Tennessee fire-cured (Western District)	23	18,794	18,796	17,614	20,963	22,199	15,616
Total Fire-cured	21-23	113,742	123,377	121,762	125,054	134,981	109,636
Burley	31	1,127,337	1,191,429	1,224,251	1,277,656	1,404,623	1,400,140
Southern Maryland	32	70,030	70,909	72,034	74,332*	53,002	61,668
Total Light Air-cured	31-32	1,197,367	1,262,338	1,296,285	1,351,983*	1,457,625	1,461,808
One Sucker	35	37,884	41,047	42,794	41,877	45,912	39,975
Green River	36	19,281	19,903	20,810	20,908	22,098	20,542
Virginia sun-cured	37	5,036	5,223	4,946	5,647	6,301	5,220
Total Dark Air-cured	35-37	62,201	66,173	68,550	68,432	74,311	65,737
Pennsylvania Seedleaf	41	114,863	109,725	104,285	122,034	130,823	97,573
Ohio Filler (Miami Valley)	42-44	17,632	17,461	17,121	20,018	21,374	15,223
Puerto Rican:							
In United States	46	15,171	19,789	20,493	15,410	18,642	19,760
In Puerto Rico	46	28,080	23,969	21,893	36,999*	25,880	17,270
Total Cigar-filler	41-46	175,740	170,944	163,792	194,461*	196,719	149,826
Connecticut Valley Broadleaf	51	18,559	19,580	20,041	19,025	19,863	19,259
Connecticut Valley Havana Seed	52	12,657	13,658	14,526	13,482	13,844	14,692
Southern Wisconsin	54	23,334	22,200	20,906	25,477	23,080	20,968
Northern Wisconsin	55	25,443	24,426	25,260	28,390	30,001	22,852
Total Cigar-binder	51-55	79,993	79,864	80,733	86,374	86,788	77,771
Connecticut shade	61	18,151	18,994	15,319	15,742	17,995	20,558
Georgia and Florida shade	62	11,483	10,214	9,378	10,374	11,640	10,838
Total Cigar-wrapper	61-62	29,634	29,208	24,697	26,116	29,635	31,396
Low-nicotine	31-V	20	43	81	25	29	38
Low-nicotine	70	50	66	92	55	59	62
Perique	72	681	485	506	716	796	531
Other Miscellaneous Domestic	73	2,072	2,095	2,412	2,253	2,278	2,488
Domestic Aromatic	77	323	375	427	193	279	400
Total Miscellaneous Domestic	31-V &	3,146	3,064	3,518	3,242	3,441	3,519
Cuba (Havana) <sup>4/</sup>	70-77	69,025	62,949	44,096	70,210	68,797	64,919
Sumatra and Java <sup>4/</sup>	81	39,887	43,640	29,351	41,242	42,541	42,177
Philippine Islands (Manila)	82	1,107	514	23	908	1,004	864
Other foreign-grown cigar-leaf <sup>4/</sup>	83	14,035	12,090	9,284	14,770	14,482	11,639
Total Foreign-grown Cigar-leaf <sup>4/</sup>	84	13,996	6,705	5,438	13,290	10,770	10,239
Foreign-grown cigarette & smoking tobacco (Turkish and other) <sup>4/</sup>	90	222,269	209,568	209,002	254,193	254,700	211,021
Total All Types	11-90	4,536,731	4,476,270	4,567,968	4,270,222*	4,670,974	4,784,134

<sup>1/</sup> Totals include stocks of leaf reported in tobacco sheet. See separate reporting in tables 4 and 5.<sup>2/</sup> For factor used in converting weights see table 1 except for cigar leaf. The instructions for reporting unstemmed cigar-leaf of the domestic types require dealers and manufacturers to indicate the weight basis on which the tobacco is reported, namely farm-sales weight, marked weight, or sweat weight. The stocks are converted to the farm-sales-weight equivalent on the basis of the amount reported in these three categories. The conversion factors by types of tobacco for October 1, 1961 are as follows: Type 41, 104; Types 42-44, 111; Type 51, 104; Type 52, 104; Type 54, 105; Type 55, 104; Type 61, 109; Type 62, 111. October 1, 1961 figures subject to revision.<sup>3/</sup> For explanation of stocks included in this classification see footnote 5 on page 15.<sup>4/</sup> Foreign-grown leaf is converted to an unstemmed equivalent basis only.

Table 3.--Production, stocks, supply, disappearance on a farm-sales weight basis, and price of specified types, 1956-61 1/

TOTAL ALL TYPES 11-62

Marketing year	Carry-over 2/				Production	Total supply	Disappearance			Average price to growers
	Manufacturers	Under loan	Other	Total			Total	Export	Other	
	Million pounds	Million pounds	Million pounds	Million pounds			Million pounds	Million pounds	Million pounds	
1956	2,839.2	947.9	382.2	4,169.3	2,199.4	6,368.7	1,959.6	556.7	1,402.9	53.5
1957	2,959.9	1,026.9	422.3	4,409.1	1,694.1	6,103.2	1,947.8	527.5	1,420.3	55.7
1958	2,735.4	999.7	420.3	4,155.4	1,761.9	5,917.3	1,955.5	535.8	1,419.7	59.5
1959	2,638.5	955.8	367.5	3,961.8	1,823.9	5,785.7	1,954.3	503.8	1,450.5	57.9
1960	2,708.4	725.0	398.0	3,831.4	1,970.3	5,801.7	3/2,062.4	566.7	1,495.7	60.6
1961	2,689.3	665.5	390.5	3,745.3	4/2,036.0	3/5,781.3				

FLUE-CURED, TYPES 11-14  
(July-June Marketing Year)

1956	1,576.6	456.3	225.4	2,258.3	1,422.5	3,680.8	1,169.5	465.1	704.4	51.5
1957	1,593.8	643.3	274.2	2,511.3	975.0	3,486.3	1,178.2	441.5	736.7	55.4
1958	1,405.6	616.7	285.8	2,308.1	1,081.0	3,389.1	1,178.7	442.7	736.0	58.2
1959	1,328.0	639.9	242.5	2,210.4	1,080.7	3,291.1	1,185.0	419.2	765.8	58.3
1960	1,286.0	557.3	262.8	2,106.1	1,250.6	3,356.7	3/1,266.5	474.6	791.9	60.4
1961	1,336.8	506.7	246.6	2,090.1	4/1,258.8	3/3,348.9				

VIRGINIA FIRE-CURED, TYPE 21  
(October-September Marketing Year)

1956	11.7	8.4	4.3	24.4	10.7	35.1	10.3	5.5	4.8	39.5
1957	12.4	7.9	4.5	24.8	8.6	33.4	9.6	5.4	4.2	38.7
1958	12.9	7.7	3.2	23.8	9.4	33.2	10.7	5.4	5.3	36.9
1959	11.5	8.2	2.8	22.5	10.0	32.5	10.3	5.4	4.9	37.6
1960	11.0	7.9	3.2	22.1	8.9	31.0	3/10.1	6.2	3.9	39.4
1961	12.7	5.0	3.2	20.9	4/10.5	3/31.4				

TOTAL, TYPES 22-23  
(October-September Marketing Year)

1956	55.8	37.3	20.1	113.2	59.9	173.1	52.3	24.8	27.5	36.1
1957	56.9	37.9	26.0	120.8	41.9	162.7	53.3	23.8	29.5	36.4
1958	52.5	38.6	18.3	109.4	33.9	143.3	43.9	19.5	24.4	38.1
1959	48.4	37.3	13.6	99.2	43.0	142.3	41.1	18.6	22.5	38.3
1960	48.0	35.6	17.6	101.2	36.5	137.7	3/44.9	21.0	23.9	43.3
1961	47.9	26.8	18.1	92.8	4/42.8	3/135.6				

TENNESSEE AND KENTUCKY FIRE-CURED, TYPE 22  
(October-September Marketing Year)

1956	46.9	26.9	15.0	88.8	43.7	132.5	35.5			37.3
1957	49.0	27.4	20.6	97.0	33.6	130.6	41.1			36.8
1958	46.0	28.8	14.7	89.5	26.4	115.9	34.2			38.4
1959	42.2	28.8	10.7	81.7	32.1	113.8	31.4			39.0
1960	41.6	27.4	13.4	82.4	27.1	109.5	3/35.5			43.9
1961	40.6	20.0	13.4	74.0	4/31.6	3/105.6				

KENTUCKY AND TENNESSEE FIRE-CURED, TYPE 23  
(October-September Marketing Year)

1956	8.9	10.4	5.1	24.4	16.2	40.6	16.8			32.7
1957	7.9	10.5	5.4	23.8	8.3	32.1	12.2			34.8
1958	6.5	9.8	3.6	19.9	7.5	27.4	9.7			37.0
1959	6.2	8.5	2.9	17.6	10.9	28.5	9.7			36.2
1960	6.4	8.2	4.2	18.8	9.4	28.2	3/9.4			41.4
1961	7.3	6.8	4.7	18.8	4/11.2	3/30.0				

See footnotes at end of table.

Continued--

Table 3.--Production, stocks, supply, disappearance on a farm-sales weight basis, and price of specified types, 1956-61 1--Continued

BURLEY, TYPE 31  
(October-September Marketing Year)

Marketing year	Carry-over 2/				Production	Total supply	Disappearance			Average price to growers
	Manufacturers	Under loan	Other	Total			Total	Exports	Other	
	Million pounds	Million pounds	Million pounds	Million pounds			Million pounds	Million pounds	Million pounds	
1956	884.8	376.1	37.9	1,298.8	506.4	1,805.2	510.5	28.2	482.3	63.6
1957	981.4	277.4	35.9	1,294.7	488.1	1,782.8	506.3	28.1	478.2	60.3
1958	960.2	276.3	40.0	1,276.5	465.5	1,742.0	517.8	34.8	483.0	66.1
1959	954.8	229.7	39.8	1,224.3	502.3	1,726.6	535.1	36.3	498.8	60.6
1960	1,049.0	90.0	52.2	1,191.4	484.7	1,676.1	3/548.8	41.3	507.5	64.2
1961	989.2	88.0	50.1	1,127.3	4/430.4	3/1,657.7				

MARYLAND, TYPE 32  
(October-September Marketing Year)

1956	45.3	8.4	23.5	77.2	36.5	113.7	34.8	13.5	21.3	51.7
1957	48.1	9.0	21.8	78.9	38.5	117.4	37.0	12.0	25.0	44.9
1958	47.5	11.1	21.7	80.3	31.1	111.4	39.4	15.3	24.1	62.5
1959	46.1	9.7	16.2	72.0	31.2	103.2	32.3	11.9	20.4	61.6
1960	49.6	3.3	18.0	70.9	32.8	103.7	3/33.7	12.0	21.7	61.6
1961	42.9	3.5	23.6	70.0	4/32.3	3/102.3				

TOTAL, TYPES 35-36  
(October-September Marketing Year)

1956	34.5	37.7	8.6	80.8	30.7	111.5	34.0	10.6	23.4	34.0
1957	38.3	31.5	7.7	77.5	19.8	97.3	24.8	6.3	18.5	36.1
1958	36.2	30.2	6.1	72.5	16.1	88.6	25.0	7.5	17.5	38.4
1959	41.0	18.1	4.5	63.6	19.3	82.9	22.0	5.5	16.5	34.5
1960	36.5	17.7	6.7	60.9	18.2	79.1	3/22.0	4.7	17.3	37.4
1961	36.6	15.6	4.9	57.1	4/20.2	3/77.5				

ONE SUCKER, TYPE 35  
(October-September Marketing Year)

1956	18.5	26.8	5.4	50.7	20.2	70.9	21.2	8.3	12.9	36.0
1957	22.3	21.5	5.9	49.7	13.9	63.6	16.1	4.6	11.5	36.9
1958	22.0	21.2	4.3	47.5	11.6	59.1	16.3	6.2	10.1	39.0
1959	27.5	11.3	4.0	42.8	14.0	56.8	15.8	4.3	11.5	34.7
1960	23.0	12.2	5.8	41.0	12.2	53.2	3/15.4	4.0	11.4	38.4
1961	24.4	9.4	4.1	37.9	4/13.8	3/51.7				

GREEN RIVER, TYPE 36  
(October-September Marketing Year)

1956	16.0	10.9	3.2	30.1	10.5	40.6	12.8	2.3	10.5	30.0
1957	16.0	10.0	1.8	27.8	5.9	33.7	8.7	1.7	7.0	34.4
1958	14.2	9.0	1.8	25.0	4.5	29.5	8.7	1.3	7.4	36.7
1959	13.5	6.8	.5	20.8	5.3	26.1	6.2	1.2	5.0	34.0
1960	13.5	5.5	.9	19.9	6.0	25.9	3/6.6	.7	5.9	35.4
1961	12.2	6.2	.8	19.2	4/6.4	3/25.8				

VIRGINIA SUN-CURED, TYPE 37  
(October-September Marketing Year)

1956	3.8	0	.8	4.6	3.2	7.8	2.5	.6	1.9	35.7
1957	4.5	0	.8	5.3	2.7	8.0	2.5	.6	1.9	34.0
1958	4.7	0	.8	5.5	1.9	7.4	2.5	.3	2.2	36.8
1959	4.4	0	.5	4.9	2.2	7.1	1.9	.3	1.6	34.4
1960	4.8	0	.4	5.2	1.8	7.0	3/1.9	.3	1.6	37.9
1961	4.5	0	.5	5.0	4/2.3	3/7.3				

See footnotes at end of table.

Continued--

Table 3.--Production, stocks, supply, disappearance on a farm-sales weight basis, and price of specified types, 1956-61 1/--Continued

PENNSYLVANIA SEEDLEAF, TYPE 41  
(October-September Marketing Year)

Marketing year	Carry-over 2/						Production	Total supply	Disappearance			Average price to growers
	Manufacturers	Under loan	Other	Total	Million pounds	Million pounds			Total	Exports	Other	
	Million pounds											
1956	84.1	0	19.6	103.7	48.4	152.1	46.8	.2	46.6			24.0
1957	86.8	0	18.5	105.3	41.2	146.5	42.8	.1	42.7			20.5
1958	81.3	0	22.4	103.7	51.0	154.7	50.4	.3	50.1			28.0
1959	86.1	0	18.2	104.3	53.5	157.8	48.0	.1	47.9			31.5
1960	96.2	0	13.5	109.7	52.7	162.4	3/47.6	.1	47.5			28.5
1961	99.7	0	15.2	114.9	4/52.7	3/167.6						

MIAMI VALLEY (OHIO) FILLER, TYPES 42-44  
(October-September Marketing Year)

1956	19.3	1.9	2.0	23.2	6.3	29.5	6.4			6.4		22.0
1957	19.2	2.2	1.7	23.1	4.6	27.7	7.2			7.2		22.8
1958	19.4	0	1.1	20.5	2.5	23.0	5.9			5.9		24.2
1959	16.6	0	.5	17.1	6.9	24.0	6.5			6.5		27.3
1960	16.9	0	.5	17.4	6.6	24.0	3/6.3			6.3		28.1
1961	17.1	0	.5	17.6	4/7.9	3/25.6						

FUERTO RICAN FILLER, TYPE 46  
(October-September Marketing Year)

1956	35.3	2.0	20.3	57.6	24.0	81.6	31.3	.5	30.8			30.8
1957	38.0	1.0	11.3	50.3	26.7	77.0	27.4	.1	27.3			27.5
1958	41.3	1.0	7.3	49.6	25.6	75.2	32.8	1.2	31.6			30.0
1959	27.6	0	14.8	42.4	27.6	70.0	26.2	.5	25.7			32.2
1960	37.1	0	6.6	43.7	27.1	70.8	3/33.7	.1	33.6			34.2
1961	31.8	0	11.5	43.3	4/28.0	3/71.3						

CONNECTICUT BROADLEAF, TYPE 51  
(October-September Marketing Year)

1956	19.3	6.5	5.0	30.8	7.5	38.3	12.8	1.5	11.3			59.0
1957	14.0	7.9	3.6	25.5	5.1	30.6	8.4	.7	7.7			50.0
1958	11.4	7.7	3.1	22.2	3.6	25.8	5.7	.2	5.5			54.0
1959	9.9	6.5	3.6	20.0	4.5	24.5	4.9	.2	4.7			45.0
1960	10.2	7.7	1.7	19.6	3.6	23.2	3/4.6	.3	4.3			44.0
1961	8.0	8.9	2.1	19.0	4/2.9	3/21.6						

CONNECTICUT HAVANA SEED, TYPE 52  
(October-September Marketing Year)

1956	11.6	5.8	4.2	21.6	5.8	27.4	7.2	1.5	5.7			42.3
1957	9.0	6.8	4.4	20.2	3.2	23.4	7.5	1.2	6.3			44.9
1958	6.4	6.4	3.1	15.9	1.8	17.7	3.2	.6	2.6			49.4
1959	7.2	5.7	1.6	14.5	3.2	17.7	4.0	.7	3.3			41.2
1960	7.4	4.8	1.5	13.7	3.2	16.9	3/4.2	1.9	2.3			42.8
1961	6.4	4.9	1.4	12.7	4/2.3	3/15.0						

SOUTHERN WISCONSIN, TYPE 54  
(October-September Marketing Year)

1956	20.5	4.2	.7	25.4	6.8	32.2	11.1	.1	11.0			26.1
1957	20.3	.5	.2	21.0	7.7	28.7	8.6	.4	8.2			31.1
1958	19.2	.5	.3	20.0	8.9	28.9	7.9	.4	7.5			34.6
1959	19.5	0	1.4	20.9	9.2	30.1	7.9	.3	7.6			29.3
1960	17.0	.9	4.3	22.2	9.1	31.3	3/7.9	.2	7.7			28.0
1961	15.8	3.1	4.4	23.3	4/ 9.4	3/32.8						

See footnotes at end of table.

Continued--

Table 3.--Production, stocks, supply, disappearance on a farm-sales weight basis, and price of specified types, 1956-61 1/--Continued

NORTHERN WISCONSIN, TYPE 55  
(October-September Marketing Year)

Marketing year	Carry-over <u>2/</u>				Production	Total supply	Disappearance			Average price to growers
	Manufacturers	Under loan	Other	Total			Total	Exports	Other	
	Million pounds	Million pounds	Million pounds	Million pounds			Million pounds	Million pounds	Million pounds	
1956	23.6	3.3	4.9	31.8	13.4	45.2	13.5	.1	13.4	30.9
1957	23.7	1.5	6.4	31.6	12.2	43.8	17.2	2.1	15.1	33.5
1958	21.9	1.5	3.2	26.6	13.0	39.6	14.3	2.3	12.0	35.2
1959	21.1	.7	3.5	25.3	11.6	36.9	12.5	.9	11.6	37.1
1960	21.0	.6	2.8	24.4	13.4	37.8	3/12.3	.4	11.9	30.6
1961	21.0	3.0	1.4	25.4	4/12.9	3/38.3				

TOTAL CIGAR WRAPPER, TYPES 61-62  
(July-June Marketing Year)

1956	12.3	-	4.7	17.0	17.1	34.1	15.6	4.5	11.1	186.0
1957	13.5	-	5.0	18.5	18.9	37.4	16.8	5.3	11.5	199.0
1958	14.9	-	5.8	20.7	16.5	37.2	16.8	5.3	11.5	215.8
1959	14.8	-	5.5	20.3	18.6	38.9	16.1	3.8	12.3	204.0
1960	16.7	-	6.0	22.7	20.9	43.6	3/17.5	3.4	14.1	214.0
1961	18.9	-	7.2	26.1	4/18.9	3/45.0				

CONNECTICUT SHADE, TYPE 61  
(July-June Marketing Year)

1956	7.8	-	2.8	10.6	10.3	20.9	9.5	3.0	6.5	190.0
1957	8.7	-	2.7	11.4	11.8	23.2	10.1	3.2	6.9	205.0
1958	9.0	-	4.1	13.1	10.2	23.3	10.3	3.4	6.9	235.0
1959	9.0	-	4.0	13.0	10.7	23.7	8.6	2.5	6.1	210.0
1960	10.8	-	4.3	15.1	11.9	27.0	3/11.3	2.4	8.9	225.0
1961	11.5	-	4.2	15.7	4/10.4	3/26.1				

GEORGIA AND FLORIDA SHADE, TYPE 62  
(July-June Marketing Year)

1956	4.5	-	1.9	6.4	6.8	13.2	6.1			180.0
1957	4.8	-	2.3	7.1	7.1	14.2	6.7			190.0
1958	5.9	-	1.7	7.6	6.3	13.9	6.5	1.9	4.6	185.0
1959	5.8	-	1.5	7.3	7.8	15.1	7.6	1.4	6.2	195.0
1960	5.9	-	1.7	7.6	9.0	16.6	3/6.2	.9	5.3	200.0
1961	7.4	-	3.0	10.4	4/8.5	3/18.9				

1/ Annual disappearance for a type is calculated for the marketing year established for that type, the year beginning on the quarterly reporting date on which stocks of the type are at their lowest point and before the new crop enters stocks.

2/ The carry-over stocks have been tabulated separately according to broad groupings of ownership, namely manufacturers, under loan, and all other. "Other" reflects stocks reported by tobacco dealers and stocks held in the United States by representatives of foreign manufacturers. The quantities shown as owned by dealers may include some tobacco held by dealers which is earmarked for sale to domestic manufacturers or for export.

3/ Subject to revision.

4/ November 1 estimate, U. S. Crop Reporting Board.

Table 4.--Stocks of leaf tobacco, including leaf in tobacco sheet 1/4, by types and, where applicable, by groups of grades, owned by dealers and manufacturers, October 1, 1961 compared with October 1, 1960, and July 1, 1961

## REPORTED WEIGHT

### TYPES 11-14 - FLUE-CURED

#### Type 11, Old and Middle Belt flue-cured

Group	October 1, 1961 2/			October 1, 1960			July 1, 1961		
	Unstemmed	Stemmed	Total	Unstemmed	Stemmed	Total	Unstemmed	Stemmed	Total
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
Total Leaf	296,160	281,294	577,454	318,322	263,248	581,570	269,541	268,938	538,479

#### Type 12, Eastern North Carolina flue-cured

Total Leaf	279,144	397,599	676,743	323,809	341,180	664,989	222,909	326,828	549,737
------------	---------	---------	---------	---------	---------	---------	---------	---------	---------

#### Type 13, South Carolina flue-cured (including southeastern North Carolina)

Total Leaf	211,054	284,764	495,818	223,019	221,439	444,458	179,584	188,866	368,450
------------	---------	---------	---------	---------	---------	---------	---------	---------	---------

#### Type 14, Georgia and Florida flue-cured

Total Leaf	52,755	177,759	230,514	51,653	175,919	227,572	22,842	126,043	148,885
------------	--------	---------	---------	--------	---------	---------	--------	---------	---------

#### Types 11-14, Total flue-cured

Total Leaf	839,113	1,141,416	1,980,529	916,803	1,001,786	1,918,589	694,876	910,675	1,605,551
Other Leaf 1/	154	3,300	3,454	94	2,407	2,501	146	2,882	3,028
Total	839,267	1,144,716	1,983,983	916,897	1,004,193	1,921,090	695,022	913,557	1,608,579

### TYPES 21-23 - FIRE-CURED

#### Type 21, Virginia fire-cured

Total Leaf	16,636	298	16,934	17,618	205	17,823	17,920	401	18,321
------------	--------	-----	--------	--------	-----	--------	--------	-----	--------

#### Type 22, Tennessee and Kentucky fire-cured, (Eastern District)

Total Leaf	70,821	260	71,081	78,724	389	79,113	77,779	244	78,023
------------	--------	-----	--------	--------	-----	--------	--------	-----	--------

#### Type 23, Kentucky and Tennessee fire-cured (Western District)

Total Leaf	17,999	55	18,054	18,060	10	18,070	20,050	81	20,131
------------	--------	----	--------	--------	----	--------	--------	----	--------

#### Types 21-23, Total fire-cured

Total Leaf	105,456	613	106,069	114,402	604	115,006	115,749	726	116,475
------------	---------	-----	---------	---------	-----	---------	---------	-----	---------

### TYPES 31-32 - LIGHT AIR-CURED

#### Type 31, Burley

Total Leaf	148,980	643,268	792,248	226,748	627,897	854,645	173,587	725,801	899,388
Other Leaf 1/	-	1,522	1,522	-	1,447	1,447	-	1,400	1,400
Total	148,980	644,790	793,770	226,748	629,344	856,092	173,587	727,201	900,788

#### Type 32, Southern Maryland

Total Leaf	36,519	23,742	60,261	33,781	26,405	60,186	48,156*	18,255	66,411*
Other Leaf 1/	-	46	46	-	48	48	-	42	42
Total	36,519	23,788	60,307	33,781	26,453	60,234	48,156*	18,297	66,453*

### TYPES 35-37 - DARK AIR-CURED

#### Type 35, One Sucker

Total Leaf	32,887	1,308	34,195	35,809	1,294	37,103	36,326	1,465	37,791
------------	--------	-------	--------	--------	-------	--------	--------	-------	--------

#### Type 36, Green River

Total Leaf	15,886	894	16,780	16,606	765	17,371	17,375	857	18,232
------------	--------	-----	--------	--------	-----	--------	--------	-----	--------

#### Type 37, Virginia sun-cured

Total Leaf	4,166	133	4,299	4,321	138	4,459	4,667	153	4,820
------------	-------	-----	-------	-------	-----	-------	-------	-----	-------

#### Types 35-37, Total dark air-cured

Total Leaf	52,939	2,335	55,274	56,736	2,197	58,933	58,368	2,475	60,843
------------	--------	-------	--------	--------	-------	--------	--------	-------	--------

### TYPES 41-46 - CIGAR LEAF FILLER

#### Type 41, Pennsylvania Seedleaf

B	1,064	38	1,102	1,786	17	1,803	885	44	929
C	56,161	1,872	58,033	59,686	2,205	61,891	61,680	1,989	63,669
X	31,051	748	31,799	23,821	759	24,580	35,178	773	35,951
Y	10,564	467	11,031	7,877	468	8,345	8,623	644	9,267
S	45	4,846	4,891	32	4,430	4,462	113	4,006	4,119
Total Leaf	98,685	7,971	106,856	93,202	7,879	101,081	106,479	7,456	113,935
Other Leaf 1/	42	333	375	44	235	279	47	341	388
Total	98,927	8,304	107,231	93,246	8,114	101,360	106,526	7,797	114,323

See footnotes at end of table.

Continued--

Table 4.--Stocks of leaf tobacco, including leaf in tobacco sheet 1/4, by types and, where applicable, by groups of grades, owned by dealers and manufacturers, October 1, 1961 compared with October 1, 1960, and July 1, 1961--Continued

## REPORTED WEIGHT

### TYPES 41-46 - CIGAR LEAF FILLER--Continued

#### Types 42-44, Ohio Filler (Miami Valley)

Group	October 1, 1961 2/			October 1, 1960			July 1, 1961		
	Unstemmed	Stemmed	Total	Unstemmed	Stemmed	Total	Unstemmed	Stemmed	Total
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
C	2,239	26	2,265	1,689	103	1,792	2,416	28	2,444
X	13,031	19	13,050	13,401	-	13,401	14,995	21	15,016
Y	61	87	148	12	27	39	92	42	134
S	3	251	254	-	218	218	-	286	286
Total Leaf	15,334	383	15,717	15,102	348	15,450	17,503	377	17,880
Other Leaf 1/	-	14	14	-	4	4	-	6	6
Total	15,334	397	15,731	15,102	352	15,454	17,503	383	17,886

#### Type 46, Puerto Rican (In Continental United States)

C	631	1,605	2,236	745	4,065	4,810	451	2,236	2,687
X	3,505	324	3,829	5,491	678	6,169	3,663	430	4,093
Y	-	-	-	129	-	129	-	-	-
S	195	4,832	5,027	742	2,947	3,689	234	4,242	4,476
Total Leaf	4,331	6,761	11,092	7,107	7,690	14,797	4,348	6,908	11,256
Other Leaf 1/	-	12	12	-	2	2	-	12	12
Total	4,331	6,773	11,104	7,107	7,692	14,799	4,348	6,920	11,268

#### Type 46, Puerto Rican (In Puerto Rico)

C	11,478	979	12,457	11,073	1,135	12,208	17,910*	1,268	19,178*
X	10,149	28	10,177	7,182	145	7,327	9,275*	40	9,315*
Y	256	-	256	155	-	155	597	9	606
S-N	231	472	703	130	246	376	1,387*	608	1,995*
Total Leaf	22,114	1,479	23,593	18,540	1,526	20,066	29,169*	1,925	31,094*

#### Type 46, Total Puerto Rican

C	12,139	2,584	14,693	11,818	5,200	17,018	18,361*	3,504	21,865*
X	13,554	352	14,006	12,673	823	13,496	12,938*	470	13,408*
Y	256	-	256	284	-	284	597	0	606
S-N	426	5,304	5,730	872	3,193	4,065	1,621*	4,850*	6,471*
Total Leaf	26,445	8,240	34,685	25,647	9,216	34,863	33,517*	8,833*	42,350*
Other Leaf 1/	-	12	12	-	2	2	-	12	12
Total	26,445	8,252	34,697	25,647	9,218	34,865	33,517*	8,845*	42,362*

### TYPES 51-55 - CIGAR LEAF BINDER

#### Type 51, Connecticut Valley Broadleaf

A	1,152	1	1,153	1,021	15	1,036	2,002	3	2,005
B	14,040	53	14,093	14,283	30	14,313	13,681	30	13,711
C	55	4	59	50	-	50	45	-	45
X	1,600	-	1,600	2,449	2	2,451	1,666	3	1,669
S	24	303	327	45	269	314	61	234	295
Total Leaf	16,671	361	17,232	17,848	316	18,164	17,455	270	17,725
Other Leaf 1/	305	157	462	305	206	511	286	157	443
Total	17,176	518	17,694	18,153	522	18,675	17,741	427	18,168

#### Type 52, Connecticut Valley Havana Seed

A	766	2	768	722	3	725	832	2	834
B	7,857	36	7,893	8,041	45	8,086	8,461	82	8,543
C	7	-	7	7	-	7	8	-	8
X	3,021	-	3,021	2,448	861	3,309	3,047	2	3,049
S	69	216	285	-	228	228	69	171	240
Total Leaf	11,720	254	11,974	11,218	1,137	12,355	12,417	257	12,674
Other Leaf 1/	120	-	120	190	-	190	212	-	212
Total	11,840	254	12,094	11,408	1,137	12,545	12,629	257	12,886

#### Type 54, Southern Wisconsin

B	5	191	196	84	10	94	15	11	26
C	500	90	590	19	-	19	500	271	771
X	20,748	425	21,173	20,658	99	20,757	22,910	312	23,222
S	26	18	44	123	86	209	25	31	56
Total Leaf	21,279	724	22,003	20,884	195	21,079	23,450	625	24,075
Other Leaf 1/	-	2	2	-	4	4	-	1	1
Total	21,279	726	22,005	20,884	199	21,083	23,450	626	24,076

See footnotes at end of table.

Continued--

Table 4.--Stocks of leaf tobacco, including leaf in tobacco sheet 1/, by types and, where applicable, by groups of grades, owned by dealers and manufacturers, October 1, 1961 compared with October 1, 1960, and July 1, 1961--Continued

## REPORTED WEIGHT

### TYPES 51-55 - CIGAR LEAF BINDER--Continued

#### Type 55, Northern Wisconsin

Group	October 1, 1961 2/			October 1, 1960			July 1, 1961		
	Unstemmed		Total	Unstemmed		Total	Unstemmed		Total
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
B	2,254	21	2,275	2,218	100	2,318	1,588	52	1,640
C	189	29	218	14	-	14	1,190	23	1,213
X	21,051	431	21,482	19,910	471	20,381	23,414	534	23,948
S	-	98	98	18	88	106	-	68	68
Total Leaf	23,494	579	24,073	22,160	659	22,819	26,192	677	26,869
Other Leaf 1/	192	5	197	214	8	222	202	1	203
Total	23,686	584	24,270	22,374	667	23,041	26,394	678	27,072

### TYPES 61-62 - CIGAR LEAF WRAPPER

#### Type 61, Connecticut Shade

A	11,918	742	12,660	12,802	479	13,281	10,102	722	10,824
B	1,051	-	1,051	1,306	-	1,306	363	-	363
C	351	2	353	694	-	694	264	4	268
S	95	1,435	1,530	121	1,261	1,382	106	1,506	1,612
Total Leaf	13,415	2,179	15,594	14,923	1,740	16,663	10,835	2,232	13,067
Other Leaf 1/	94	389	483	64	384	448	74	442	516
Total	13,509	2,568	16,077	14,987	2,124	17,111	10,909	2,674	13,583

#### Type 62, Georgia and Florida Shade

A	9,152	215	9,367	8,230	96	8,326	7,630	192	7,822
B	150	-	150	60	-	60	300	9	309
C	55	18	73	61	2	63	105	2	107
S	16	574	590	-	676	676	-	681	681
Total Leaf	9,373	807	10,180	8,351	774	9,125	8,035	884	8,919
Other Leaf 1/	-	-	-	1	-	1	-	-	-
Total	9,373	807	10,180	8,352	774	9,126	8,035	884	8,919

### GROUP SUMMARY ALL CIGAR TOBACCO 3/

October 1, 1961

Class	Group									
	A	B	C	X	Y	S-N	Total		Total	
	1,000 lb.									
Filler, Types 41-46 4/	-	1,102	74,991	58,855	11,435	10,875	157,258		157,258	
Binder, Types 51-55	1,921	24,457	874	47,276	-	754	75,282		75,282	
Wrapper, Types 61-62	22,027	1,201	426	-	-	-	2,120		25,774	
Foreign, Types 81-84	2,579	-	47,356	-	-	-	13,820		63,755	
Total Leaf	26,527	26,760	123,647	106,131	11,435	27,569	322,069		322,069	
Other Leaf 1/							1,730		1,730	
Total							323,799		323,799	

October 1, 1960

	A	B	C	X	Y	S-N	Total	
	1,000 lb.							
Filler, Types 41-46 4/	-	1,803	80,701	51,477	8,668	8,745	151,394	
Binder, Types 51-55	1,761	24,811	90	46,898	-	857	74,417	
Wrappers, Types 61-62	21,607	1,366	757	-	-	2,058	25,788	
Foreign, Types 81-84	1,882	-	44,232	-	-	12,782	58,896	
Total Leaf	25,250	27,980	125,780	98,375	8,668	24,442	310,495	
Other Leaf 1/							1,708	
Total							312,203	

July 1, 1961

	A	B	C	X	Y	S-N	Total	
	1,000 lb.							
Filler, Types 41-46 4/	-	929	87,978*	64,375*	10,007	10,876*	174,165*	
Binder, Types 51-55	2,839	23,920	2,037	51,888	-	659	81,343	
Wrapper, Types 61-62	18,646	672	375	-	-	2,293	21,986	
Foreign, Types 81-84	2,268	-	48,984	-	-	13,749	65,001	
Total Leaf	23,753	25,521	139,374*	116,263*	10,007	27,577*	342,495*	
Other Leaf 1/							1,859	
Total							344,354*	

See footnotes at end of table.

Continued--

Table 4--Stocks of leaf tobacco, including leaf in tobacco sheet 1/, by types and, where applicable, by groups of grades, owned by dealers and manufacturers, October 1, 1961 compared with October 1, 1960, and July 1, 1961--Continued

## REPORTED WEIGHT

### TYPES 31-V and 70-77 - MISCELLANEOUS DOMESTIC

#### Type 31-V, Low Nicotine

Group	October 1, 1961 2/			October 1, 1960			July 1, 1961		
	Unstemmed	Stemmed	Total	Unstemmed	Stemmed	Total	Unstemmed	Stemmed	Total
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
Total Leaf	-	13	13	-	28	28	-	16	16

#### Type 70, Low Nicotine

Total Leaf	-	35	35	-	46	46	-	38	38
------------	---	----	----	---	----	----	---	----	----

#### Type 72, Perique

Total Leaf	-	469	469	-	13	324	337	-	493	493
------------	---	-----	-----	---	----	-----	-----	---	-----	-----

#### Type 73, Other miscellaneous domestic 5/

Total Leaf	156	1,309	1,465	-	73	1,387	1,460	-	1,551	1,551
------------	-----	-------	-------	---	----	-------	-------	---	-------	-------

#### Type 77, Domestic Aromatic

Total Leaf	296	-	296	-	344	-	344	-	177	-	177
------------	-----	---	-----	---	-----	---	-----	---	-----	---	-----

#### Types 31-V and 70-77, Total miscellaneous domestic

Total Leaf	452	1,826	2,278	-	430	1,785	2,215	-	177	2,098	2,275
------------	-----	-------	-------	---	-----	-------	-------	---	-----	-------	-------

### TYPES 81-84 - FOREIGN-GROWN CIGAR-LEAF

#### Type 81, Cuba (Havana)

A	2,563	15	2,578	-	1,878	3	1,881	-	2,264	3	2,267
C	16,271	6,782	23,053	-	22,916	5,317	28,233	-	18,332	6,350	24,682
S	5,526	6,039	11,565	-	5,322	5,884	11,206	-	5,555	6,107	11,662
Total Leaf	24,360	12,536	37,196	-	30,116	11,204	41,320	-	26,151	12,460	38,611
Other Leaf 1/	39	17	56	-	23	-	23	-	43	28	71
Total	24,399	12,553	37,252	-	30,139	11,204	41,343	-	26,194	12,488	38,682

#### Type 82, Sumatra and Java 6/

A	1	-	1	-	1	-	1	-	1	-	-
C	907	132	1,039	-	397	11	408	-	753	98	851
S	-	33	33	-	58	37	95	-	-	30	30
Total Leaf	908	165	1,073	-	456	48	504	-	754	128	882

#### Type 83, Philippine Islands (Manila)

C	2,030	7,734	9,764	-	3,678	5,501	9,179	-	2,006	8,530	10,536
S	16	2,206	2,222	-	28	1,453	1,481	-	8	2,049	2,057
Total Leaf	2,046	9,940	11,986	-	3,706	6,954	10,660	-	2,014	10,579	12,593
Other Leaf 1/	-	9	9	-	-	4	4	-	-	7	7

#### Total

Total	2,046	9,949	11,995	-	3,706	6,958	10,664	-	2,014	10,586	12,600
-------	-------	-------	--------	---	-------	-------	--------	---	-------	--------	--------

#### Type 84, Other foreign-grown cigar-leaf

Total Leaf	11,081	2,419	13,500	-	5,099	1,313	6,412	-	11,086	1,829	12,915
Other Leaf 1/	-	-	-	-	-	20	20	-	-	-	-
Total	11,081	2,419	13,500	-	5,099	1,333	6,432	-	11,086	1,829	12,915

### TYPE 90 - FOREIGN-GROWN CIGARETTE AND SMOKING TOBACCO (TURKISH AND OTHER)

Total Leaf	220,569	899	221,468	-	209,164	73	209,237	-	252,547	899	253,446
Other Leaf 1/	96	432	528	-	53	218	271	-	112	374	436
Total	220,665	1,331	221,996	-	209,217	291	209,508	-	252,659	1,273	253,932

### TYPES 11-90 - TOTAL ALL TYPES

Total Leaf	1,679,239	1,860,957	3,540,196	-	1,826,776	1,702,530	3,529,306	-	1,639,348*	1,707,536	3,346,884*
Other Leaf 1/	1,042	6,238	7,280	-	988	4,987	5,975	-	1,122	5,693	6,815
Total	1,680,281	1,867,195	3,547,476	-	1,827,764	1,707,517	3,535,281	-	1,640,470*	1,713,229	3,353,699*

1/ Represents leaf tobacco in stocks of reconstituted or processed tobacco sheet.

2/ Subject to revision.

3/ Summary according to groups of grades reflecting a broad quality breakdown of total cigar leaf stocks.

4/ Includes Puerto Rican on the Island, Type 46.

5/ Although Type 73 is defined as all domestic types of tobacco not otherwise classified, the bulk of the stocks reported in this type consists of cuttings, clippings, and trimmings. This is the result, in most instances, of the inability of reporters to designate cuttings, clippings, and trimmings in the "S" group of the types to which they properly belong.

6/ Does not include Sumatra and Java leaf held for sale in the Free Trade Zone.

Table 5.--Summary of tobacco leaf represented in inventories of tobacco sheet, for cigar binder and for cigarettes (including smoking tobacco), separately 1/

REPORTED WEIGHT

Cigar Binder

U.S. type number	:	October 1, 1961			July 1, 1961		April 1, 1961		January 1, 1961	
		1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
11-14	:	Unstemmed	5	4	5	7	2	3		
	:	Stemmed	5	5	-	18	15	4		
	:	Total	10	9	5	25	17	7		
32	:	Unstemmed	-	-	3	-	-	-		
	:	Stemmed	17	21	26	15	11	11		
	:	Total	17	21	29	15	11	11		
41	:	Unstemmed	42	44	103	47	49	80		
	:	Stemmed	333	235	160	341	312	243		
	:	Total	375	279	263	388	361	323		
42-44	:	Stemmed	14	4	6	6	6	3		
46	:	Stemmed	12	2	9	12	2	2		
51	:	Unstemmed	305	305	368	286	355	329		
	:	Stemmed	157	206	145	157	292	210		
	:	Total	462	511	513	443	647	539		
52	:	Unstemmed	120	190	335	212	236	171		
	:	Stemmed	-	-	-	-	130	-		
	:	Total	120	190	335	212	366	171		
54	:	Stemmed	2	4	7	1	2	3		
55	:	Unstemmed	192	214	111	202	185	199		
	:	Stemmed	5	8	9	1	3	32		
	:	Total	197	222	120	203	188	231		
61	:	Unstemmed	94	64	48	74	68	40		
	:	Stemmed	389	384	310	442	430	360		
	:	Total	483	448	358	516	498	400		
62	:	Unstemmed	-	1	-	-	-	-		
81	:	Unstemmed	39	23	16	43	90	78		
	:	Stemmed	17	-	8	28	9	6		
	:	Total	56	23	24	71	99	84		
83	:	Stemmed	9	4	3	7	8	6		
84	:	Stemmed	-	20	-	-	2	13		
Total	:	Unstemmed	797	845	989	871	985	900		
	:	Stemmed	960	893	683	1,028	1,222	893		
	:	Total	1,757	1,738	1,672	1,899	2,207	1,793		
Cigarettes (Including smoking tobacco)										
11-14	:	Unstemmed	149	90	-	139	124	116		
	:	Stemmed	3,295	2,405	1,205	2,864	2,809	2,298		
	:	Total	3,444	2,492	1,205	3,003	2,933	2,414		
31	:	Stemmed	1,522	1,447	805	1,400	1,397	1,064		
32	:	Stemmed	29	27	7	27	26	26		
90	:	Unstemmed	96	53	35	112	86	84		
	:	Stemmed	432	218	21	374	283	242		
	:	Total	528	271	56	486	369	326		
Total	:	Unstemmed	245	143	35	251	210	200		
	:	Stemmed	5,278	4,094	2,038	4,665	4,515	3,630		
	:	Total	5,523	4,237	2,073	4,916	4,725	3,830		
Grand Total										
Total	:	Unstemmed	1,042	988	1,024	1,122	1,195	1,100		
all	:	Stemmed	6,238	4,987	2,721	5,693	5,737	4,523		
types	:	Total	7,280	5,975	3,745	6,815	6,932	5,623		

1/ These stocks included in table 4 under respective type as "Other Leaf".

Table 6.--Stocks of leaf tobacco, by types, showing separately quantities owned by dealers and manufacturers, October 1, 1961 compared with October 1, 1960 <sup>1/ 2/</sup>

## REPORTED WEIGHT

U.S. type number	Reported as owned by manufacturers <sup>3/</sup>			Reported as owned by dealers (including loan stocks) <sup>3/</sup>		
	October 1, 1961			October 1, 1960		
	Unstemmed	Stemmed	Total	Unstemmed	Stemmed	Total
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
11	70,479	265,574	336,053	342,988	225,681	15,720
12	24,160	384,057	408,217	424,819	254,984	13,542
13	35,608	271,268	306,876	271,848	175,446	13,496
14	1,811	167,494	169,305	165,524	50,944	10,265
11-14	132,212	1,091,693	1,123,905	1,207,680	707,055	53,023
21	9,954	292	10,246	9,348	6,682	6
22	38,706	246	38,952	42,926	32,115	14
23	6,975	35	7,010	6,121	11,024	20
21-23	55,635	573	56,208	58,395	49,821	40
31	37,849	635,661	673,510	743,758	111,131	9,129
32	10,028	23,688	33,716	39,340	26,491	100
31-32	47,877	659,349	707,226	783,098	137,622	9,229
35	20,605	1,268	21,873	20,639	12,282	40
36	9,664	878	10,542	11,830	6,222	16
37	3,693	133	3,826	4,142	473	-
35-37	33,962	2,279	36,241	36,611	18,977	56
41	85,638	7,349	92,987	88,892	13,289	955
42-44	14,881	381	15,262	15,042	453	16
46 4/	21,959	8,148	30,107	29,027	4,486	104
41-46	122,478	15,878	138,356	131,600	18,228	1,075
51	7,105	467	7,572	9,719	10,071	51
52	5,851	243	6,094	6,713	5,989	11
54	14,850	177	15,027	16,160	6,429	549
55	19,481	516	19,997	19,727	4,205	68
51-55	47,287	1,403	48,690	52,319	26,694	679
61	9,720	2,389	12,109	12,567	3,789	179
62	5,257	716	5,973	4,685	4,116	91
61-62	14,977	3,105	18,082	17,252	7,905	270
31-V	-	13	13	28	-	-
70	-	35	35	46	-	-
72	-	176	176	213	-	293
73 5/	156	1,216	1,372	1,389	-	93
77	129	-	129	214	167	-
31-V & 70-77	285	1,440	1,725	1,890	167	386
81	20,368	10,513	30,881	34,635	4,031	2,340
82 6/	904	165	1,069	369	4	-
83	594	4,628	5,222	4,065	1,452	5,321
84	7,644	2,258	9,902	2,918	3,437	161
81-84	29,510	17,564	47,074	41,987	8,924	7,822
90	219,886	665	220,551	209,210	779	666
11-90	704,109	1,793,949	2,498,058	2,540,042	976,172	73,246
						1,049,418
						995,239

<sup>1/</sup> Total includes stocks of leaf reported in tobacco sheet. See separate reporting in tables 4 and 5.

<sup>2/</sup> These statistics represent the quantity of leaf tobacco reported as owned by all leaf tobacco dealers, manufacturers, quasi-manufacturers, growers' cooperative associations, warehousemen, brokers, holders, and owners subject to provisions of the Tobacco Stocks and Standards Act approved January 14, 1929, and the amendments thereto passed in the 72nd and 74th Congress. The quantities owned by dealers and manufacturers have been tabulated separately on a type total basis.

<sup>3/</sup> This table should be considered as representing only the approximate quantities owned respectively by dealers and manufacturers. The quantities shown as owned by manufacturers include tobacco which is held under dealer registries of manufacturers and also tobacco held by dealers and known to be purchased on order for foreign or domestic manufacturers. The quantities shown as owned by dealers may include some tobacco held by dealers which is earmarked for sale to domestic manufacturers or for export. All Government loan stocks are included as dealer holdings.

<sup>4/</sup> Includes stocks on the Island of Puerto Rico.

<sup>5/</sup> For explanation of stocks included in this classification see footnote 5 on page 15.

Table 7.--Stocks of leaf tobacco owned by dealers and manufacturers, summary by types, October 1, 1961 compared with other quarters <sup>1/</sup> <sub>2/</sub>

REPORTED WEIGHT

Type name	U.S. type number	October 1, 1961 <sup>3/</sup>			October 1, 1960	July 1, 1961	July 1, 1960
		Unstemmed	Stemmed	Total			
		1,000 lb.	1,000 lb.	1,000 lb.			
Old and Middle Belt flue-cured	11	296,160	281,294	577,454	581,570	538,479	568,901
Eastern North Carolina flue-cured	12	279,144	397,599	676,743	664,989	549,737	569,796
South Carolina flue-cured (including Southeastern N. C.)	13	211,054	284,764	495,818	444,458	368,450	353,037
Georgia and Florida flue-cured	14	52,755	177,759	230,514	227,572	148,885	145,837
Total Flue-cured	11-14	839,267	1,144,716	1,983,983 <sup>1/</sup>	1,921,090	1,608,579	1,640,602
Virginia fire-cured	21	16,636	298	16,934	17,823	18,321	19,992
Tennessee and Kentucky fire-cured (Eastern District)	22	70,821	260	71,081	79,113	78,023	85,398
Kentucky and Tennessee fire-cured (Western District)	23	17,999	55	18,054	18,070	20,131	20,049
Total Fire-cured	21-23	105,456	613	106,069	115,006	116,475	125,439
Burley	31	148,980	644,790	793,770	856,092	900,788	970,135
Southern Maryland	32	36,519	23,788	60,307	60,234	66,453 <sup>2/</sup>	65,161
Total Light Air-cured	31-32	185,499	668,578	854,077	916,326	967,241 <sup>2/</sup>	1,035,296
One Sucker	35	32,887	1,308	34,195	37,103	37,791	40,438
Green River	36	15,886	894	16,780	17,371	18,232	18,507
Virginia sun-cured	37	4,166	133	4,299	4,459	4,820	5,158
Total Dark Air-cured	35-37	52,939	2,335	55,274	58,933	60,843	64,103
Pennsylvania Seedleaf	41	98,927	8,304	107,231	101,360	114,323	113,423
Ohio Filler (Miami Valley)	42-44	15,334	397	15,731	15,454	17,886	16,810
Puerto Rico:							
In United States	46	4,331	6,773	11,104	14,799	11,268	12,895
In Puerto Rico	46	22,114	1,479	23,593	20,066	31,094 <sup>2/</sup>	31,730
Total Cigar-filler	41-46	140,706	16,953	157,659	151,679	174,571 <sup>2/</sup>	174,858
Connecticut Valley Broadleaf	51	17,176	518	17,694	18,675	18,168	18,970
Connecticut Valley Havana Seed	52	11,840	254	12,094	12,545	12,886	13,368
Southern Wisconsin	54	21,279	726	22,005	21,083	24,076	23,269
Northern Wisconsin	55	23,686	584	24,270	23,041	27,072	26,425
Total Cigar-binder	51-55	73,981	2,082	76,063	75,344	82,202	82,032
Connecticut shade	61	13,509	2,568	16,077	17,111	13,583	13,179
Georgia and Florida shade	62	9,373	807	10,180	9,126	8,919	6,477
Total Cigar-wrapper	61-62	22,882	3,375	26,257	26,237	22,502	19,656
Low-nicotine	31-V	-	13	13	28	16	30
Low-nicotine	70	-	35	35	46	38	60
Perique	72	-	469	469	337	493	402
Other Miscellaneous Domestic <sup>4/</sup>	73	156	1,309	1,465	1,460	1,551	916
Domestic Aromatic	77	296	-	296	344	177	273
Total Miscellaneous Domestic	31-V &						
Cuba (Havana)	70-77	452	1,826	2,278	2,215	2,275	1,681
Sumatra and Java <sup>5/</sup>	81	24,399	12,853	37,252	41,343	38,682	42,160
Philippine Islands (Manila)	82	908	165	1,073	504	882	120
Other foreign-grown cigar-leaf	83	2,046	9,949	11,995	10,664	12,600	11,330
Total Foreign-grown Cigar-leaf	84	11,081	2,419	13,500	6,432	12,915	4,469
81-84	38,434	25,386	63,820	58,943	65,079	58,079	
Foreign-grown cigarette and smoking tobacco (Turkish and other)	90	220,665	1,331	221,996	209,508	253,932	241,394
Total All Types	11-90	1,680,281	1,867,195	3,547,476	3,535,281	3,353,699 <sup>2/</sup>	3,443,140

<sup>1/</sup> Totals include stocks of leaf reported in tobacco sheet. See separate reporting in tables 4 and 5.

<sup>2/</sup> These statistics represent the quantity of leaf tobacco reported as owned by all leaf tobacco dealers, manufacturers, quasi-manufacturers, growers' cooperative associations, warehousemen, brokers, holders, and owners except (a) the original growers of tobacco; (b) manufacturers who in the first three quarters of 1960, according to the returns of the Commissioner of Internal Revenue, manufactured less than 35,000 pounds of tobacco, less than 185,000 cigars, or less than 750,000 cigarettes, pursuant to the provisions of the Tobacco Stocks and Standards Act approved January 14, 1929, and the amendments thereto passed in the 72nd and 74th Congress.

<sup>3/</sup> Subject to revision.

<sup>4/</sup> For explanation of stocks included in this classification see footnote 5 on page 15.

<sup>5/</sup> Does not include Sumatra and Java leaf held for sale in the Free Trade Zone.

\* Revisions in July 1, 1961 report.



October 1961  
**OFFICIAL BUSINESS**

NOTICE

If you no longer need this publication, check here  return this sheet, and your name will be dropped from the mailing list.

If your address should be changed, write the new address on this sheet and return the whole sheet to:

Tobacco Division,  
Agricultural Marketing Service  
U. S. Department of Agriculture  
Washington 25, D. C.